



# Compact Spreaders

**NO MORE WHEELBARROWS!  
NO MORE SMELLY MANURE PILES!**

**RECYCLED NUTRIENTS  
IMPROVE PASTURES**

Clean stalls  
in **half the time!**



World's Only  
**STAINLESS STEEL**  
Compact Manure Spreader!



**MillcreekSpreaders.com**



The **FIRST** company to build compact manure spreaders. The **ONLY** company to build them out of stainless steel.

## Clean stalls in half the time –

*Now you can take the heavy lifting and hard work out of stall cleaning*



Dread stall cleaning? That heavy wheelbarrow is so hard to push, and even harder to maneuver out of the barn. Then the mighty backbreaking heave to dump it on the pile. That stinky old fly-infested manure pile!

### **FORGET ALL THAT – Here’s a better way!**

Your garden tractor, ATV or utility vehicle pulls a Millcreek Spreader right to the stalls. Or, easily push the Spreader using our exclusive Dolly Wheel Jack Stand.™ With this feature you never have to lift the spreader to move it, even when fully loaded. No need to filter out hay or straw because our spreader handles it all.



With the Spreader attached to your vehicle, you drive to the field or pasture, engage the Feather Touch Levers™ and presto, you’re recycling natural fertilizer. Better yet, you’re done with your stall cleaning chores in less time – leaving you more time to enjoy your horses!

**NO wheelbarrow!**

**NO aching back!**

**NO manure piles!**

**Less time cleaning...  
more time with  
your horse.**

“This Spreader is just awesome. Built like a rock and works just great! It arrived in excellent condition and was up and running in no time! ”

“Very impressive workmanship! I was impressed from the moment I saw it, from the crate it came on, to the welds and the finish work on all parts of the spreader. It also works flawlessly. ”

“We live in Florida so we bought the stainless steel model because of our hot and humid weather. The spreader is excellent! ”

We’ve made the

# **BEST** even **BETTER!**



The Millcreek SS... a true innovation in manure spreaders!

What does a stainless steel (Type 304) body mean? It means no more rust through.

**The new Millcreek SS body is guaranteed not to rust through for LIFE!**

You’ll get worry-free operation, heavy-duty service and durable construction. There’s nothing else like it!

Compatible with a wide range of tow vehicles

Lower, flared sides for easy loading

3”- 7” lower than all other spreaders on the market

Poly-Vinyl Floorboards will never rot or corrode



**Dolly Wheel Jack Stand**

With this feature you never have to lift the Spreader to move it. A gentle push is all it takes even when loaded.

**Stainless Steel Beaters**

Along with stainless steel chains and slats, won’t wear down, rust or corrode



**What’s missing? Grease points!**

Millcreek is the first and only spreader manufacturer to offer sealed bearings. A little oil on the drive chain every few months and you’re good to go. Save time, and wear and tear on your machine!



# 27: Compact Spreader

28 cubic feet, or 22.5 bushel capacity

For Up To 4 Horses

The world's most popular equine spreader since 1985, the Millcreek Model 27+/ss blazed the trail to faster and easier stall cleaning. It's ideal for the smaller barn. Easy, simple and almost effortless to use.

## Model 27+

- ✓ Ground Drive (forward motion powers spreading action)
- ✓ High-traction tires work in almost all conditions
- ✓ Industrial powder coat finish
- ✓ T-Link apron chain
- ✓ No-rot, no-rust poly floor



### Pick Your Model

Millcreek Spreaders feature our popular standard models, plus options that allow you to customize to fit your needs.



### Dolly Wheel Jack Stand

With this feature you never have to lift the Spreader to move it. A gentle push is all it takes even when loaded.



### Stainless Steel Chain and Slats

No more rust or corrosion. A lifetime of heavy-duty service.

## Model 27ss

### Model 27+ Features Plus:

- ✓ Type 304 brushed stainless steel construction
- ✓ Dolly wheel jack stand and endgate included

"I like Millcreek's quality, the lower sides and the dolly wheel. I was amazed at the customer service, too! Thank you for a fantastic product."

Gigi Gilbert Berry, Concord, NC



# 37: Compact Spreader

37 cubic feet, or 30 bushel capacity

For Up To 6 Horses

A "stretch" version of the Model 27+ that's two feet longer and has all the high performance features you expect from Millcreek. The longer bed means the Model 37+/ss handles a larger load to make stall cleaning easier for stables with up to 6 horses.

## Model 37+

- ✓ Ground Drive (forward motion powers spreading action)
- ✓ High-traction tires work in almost all conditions
- ✓ Industrial powder coat finish
- ✓ T-Link apron chain
- ✓ Jack stand comes standard
- ✓ No-rot, no-rust poly floor



### Stainless Steel Beaters

These beaters will not wear down, rust or corrode. There's nothing else like them.

## Model 37ss

### Model 37+ Features Plus:

- ✓ Type 304 brushed stainless steel construction
- ✓ Dolly wheel jack stand and endgate included
- ✓ Stainless steel T-Link apron chain



### Option packages for Models 27+ and 37+

	STANDARD	DELUXE	STAINLESS
Industrial Powder Coating	✓	✓	
T-Link Apron Chain	✓	✓	✓
Dolly Wheel Jack Stand	Model 37	✓	✓
Endgate		✓	✓
Urethane Coated Body		Inside only	
Stainless Steel Hardware			✓
Stainless Steel Apron			✓
Stainless Steel Beater			✓

Optional Urethane coated body available





# 57: Mid-Size Spreader

56 cubic feet, or 45 bushel capacity

For Up To **10 Horses**

Now you're stepping up to a small farm-sized manure spreader. Our Model 57 features heavy gauge steel, farm-tough construction and comes with your choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors.

## Model 57

- ✓ No-rot, no-rust poly floor
- ✓ T-Link apron chain
- ✓ Rugged farm-grade steel construction
- ✓ Industrial powder coated finish
- ✓ Flared sides for easier loading
- ✓ Ag-traction tires for ground drive
- ✓ Ribbed tires for PTO



## Model 57ss

### Model 57 Features Plus:

- ✓ Rugged farm-grade stainless steel construction
- ✓ Stainless steel T-Link apron chain
- ✓ Type 304 brushed stainless steel construction



Available in PTO



# 77: Mid-Size Spreader

72 cubic feet, or 58 bushel capacity

For Up To **20 Horses**

The Millcreek Model 77 features heavy gauge steel, farm-tough construction and comes with your choice of Ground Drive (forward motion powers spreading action) or PTO (Power Take-Off) Drive to work with tractors. It's ideal for large stables, small dairy farms and spreading bulk materials like wood chips.

## Model 77

- ✓ No-rot, no-rust poly floor
- ✓ T-Link apron chain
- ✓ Rugged farm-grade steel construction
- ✓ Industrial powder coated finish
- ✓ Flared sides for easier loading
- ✓ Ag-traction tires for Ground Drive
- ✓ Ribbed tires for PTO



## Model 77ss

### Model 77 Features Plus:

- ✓ Stainless steel T-Link apron chain
- ✓ Type 304 brushed stainless steel construction



Available in PTO



"I've had a Millcreek spreader for years now. It gets the job done fast so I can move on to other things."  
David Ballantyne, Farrier and Team Roper with PRCA



# 97: Full-Size Spreader


109 cubic feet, or 77 bushels

For More Than **20+ Horses**

This heavy-duty workhorse is one of the largest spreaders in the Millcreek line up. The Model 97 features heavy gauge steel, farm-tough construction and comes with a PTO-driven power train. The low profile makes for easy loading, and the optional hydraulic endgate is controlled from the tractor seat. Ideal for large stables, small dairy farms, spreading manure in many kinds of livestock operations and for spreading bulk materials like wood chips.

## Model 97

- ✓ No-rot, no-rust poly floor
- ✓ T-Link apron chain
- ✓ Rugged farm-grade steel construction
- ✓ Industrial powder coat finish
- ✓ Flared sides for easier loading
- ✓ Ribbed tires for PTO



## Model 97ss

### Model 97 Features Plus:

- ✓ Rugged farm-grade stainless steel construction
- ✓ Stainless steel T-Link apron chain
- ✓ Type 304 brushed stainless steel construction



"Best thing about my Millcreek spreader: it affords me more time in my day. Anything we can do to get in and out of our two barns is a great help. The spreader just makes life easier!"

*Julia MacDougall, Sparkle Plenty Ranch, SanTan Valley, AZ*

# 127: Full-Size Spreader

140 cubic feet, or 113 bushel capacity

For More Than **25+ Horses**

This is the top of the Millcreek mountain of professional grade manure spreaders for equine and small dairy applications. You get farm-tough construction with heavy gauge steel and quality craftsmanship you've come to expect with Millcreek products. High sides for extra capacity, reliable PTO power train, and upper beater for high efficiency spreading make Model 127 a perfect solution for busy small farms.

## Model 127

- ✓ No-rot, no-rust poly floor
- ✓ T-Link apron chain
- ✓ Rugged farm-grade steel construction
- ✓ Industrial powder coated finish
- ✓ Flared sides for easier loading
- ✓ Standard upper beater
- ✓ Ribbed tires for PTO



Upper beater is standard

127 DELUXE RHINO LINING

## Model 127ss

### Model 127 Features Plus:

- ✓ Stainless steel T-Link apron chain
- ✓ Type 304 brushed stainless steel construction
- ✓ Standard stainless steel upper beater



Upper beater is standard





# Value Spreaders

# The Millcreek Difference



8.8 cubic feet, or 7 bushel capacity

For Up To **2 Horses**

## Model 15

Here is the smallest spreader we make, but it's no toy. The Model 15 is made for entry level buyers who need to squeeze the budget while making stall cleaning faster and easier.

- ✓ World's smallest spreader
- ✓ Very lightweight and compact
- ✓ Extremely low loading height
- ✓ Galvanized 14 gauge steel
- ✓ Low horsepower requirements
- ✓ Optional dolly-wheel jack for easy maneuvering



29 cubic feet, or 23 bushel capacity

For Up To **4 Horses**

## Model 29

The Model 29 is a larger budget spreader that's ideal for up to 4 horses. Thanks to Millcreek's quality craftsmanship, this mini spreader will deliver years of reliable, trouble-free service.

- ✓ World's (almost) smallest spreader
- ✓ Very lightweight and compact
- ✓ Galvanized 14 gauge steel
- ✓ Low horsepower requirements
- ✓ Optional dolly-wheel jack for easy maneuvering



36 cubic feet, or 28 bushel capacity

For Up To **6 Horses**

## Model 36

The Model 36 is our largest budget spreader that's ideal for up to 6 horses. Thanks to Millcreek's quality craftsmanship, this mini spreader will deliver years of reliable, trouble-free service.

- ✓ Our best value vs. size spreader
- ✓ Very lightweight and compact
- ✓ Galvanized 14 gauge steel
- ✓ Low horsepower requirements
- ✓ Optional dolly-wheel jack for easy maneuvering



No other compact spreader is made like a Millcreek, even if they happen to look pretty much the same. The difference is the engineering, the materials and the craftsmanship built in to every unit.

We introduced the labor-saving compact manure spreader to horse lovers all the way back in 1985. Millcreek has been the leading name in quality spreaders ever since.

Another difference is that we use the Millcreek Spreaders we make. We're horse lovers and we clean stalls just like you do. So we know first hand what it takes to make the job easier. That adds up to a difference in quality and long term value you just won't find elsewhere.



## Our standard Millcreek Warranty means peace of mind.

With a Millcreek Warranty, you are protected against material or mechanical failure due to workmanship on all mechanical parts for two years.\* The optional urethane coating is pro-rated and warranted against failure for 10 years.\*\* The standard poly floor is guaranteed against rust, rot, corrosion or other material failure for the lifetime of your spreader.

\* Does not include user failure to follow directions, equipment abuse or damage due to accident.  
 \*\* Covers the physical integrity of the coating as a protection against rust and corrosion of the metal it covers. Pro-rated warranty does not include color fading.



## Our unique Millcreek SS Warranty is unequaled in the industry.

With a Millcreek SS Warranty, you are protected against material or mechanical failure due to workmanship on all mechanical parts for 3 years.\* The standard poly floor is guaranteed against rust, rot, corrosion or other material failure for the lifetime of your spreader.

Millcreek SS stainless steel bodies are also warranted against rust-through for life - unlike any other compact spreader on the market.

\* Does not include user failure to follow directions, equipment abuse or damage due to accident.





# BEST IN CLASS

Millcreek sets the industry standard for high quality, top value compact spreading equipment. Our Spreaders are engineered and made with the horse lover in mind. Since 1985 we have consistently responded to customer feedback to make Millcreek Spreaders the best in the equine world. Just ask anyone who has one.

**Call us today at 1-800-311-1323**

to speak directly with a knowledgeable Millcreek salesperson, and find your authorized Millcreek dealer. We build our spreaders right here in our own factory - our customer service is second to none!



# MADE IN AMERICA

*If you're looking for a good old fashioned "made in America" product, you've found it with a Millcreek Spreader. We take pleasure in making every Millcreek Spreader by hand from American steel and the best materials money can buy.*



## Millcreek Spreader Buyer's Guide

**1 bushel = 1.24 cubic feet**

Model	Number of Horses	Capacity	Equivalent Wheelbarrow Loads	Size Comparison	HP Requirement			
15	1-2	8.8 cu. ft.	1.5		8 hp min. 250 cc			
29	1-4	29 cu. ft.	4.8		12 hp min. 350 cc			
36	1-6	36 cu. ft.	6		15 hp min. 450 cc			
27+, 27ss	1-4	28 cu. ft.	4.7		12 hp min. 350 cc			
37+, 37ss	4-6	37 cu. ft.	6.2		15 hp min. 450 cc			
57, 57ss	5-10	56 cu. ft.	9.3		18 hp min. 500 cc +			
77, 77ss	11-20	72 cu. ft.	12		22 hp min.			
97, 97ss	21+	109 cu. ft.	18		25 hp min. (1500 lbs.)			
127, 127ss	25+	140 cu. ft.	24		28 hp min. (1800 lbs.)			

Call us at: **1-800-311-1323**  
 525 Reservoir Road, Honey Brook, PA 19344  
**MillcreekSpreaders.com**  
 Email us at [SalesInfo@MillcreekMfg.com](mailto:SalesInfo@MillcreekMfg.com)

